



HARO

DISANO Design Floor

Living life to the fullest

Design floors for a healthy home.



Naturally beautiful flooring

DISA

The desi

for healt

by H

NO gn floor hy living ARO

100% free
from PVC and
plasticisers

Welcome to HARO

Our family business has a tradition in wood processing in Rosenheim, Bavaria, that goes back 150 years. With our love for natural wood and our high quality standards combined with modern design, we have evolved into Germany's leading flooring manufacturer.


Thinking in generations with a long-term orientation is the foundation of our daily activities – and this is what is at the heart of our products. The development and manufacturing of sustainable products are just as natural for us as a high degree of innovation and modern design. This applies to our diverse parquet floor range as well as to our laminate floors and design floors, which are free from PVC and plasticisers. We offer just the right floor for any requirement.

We are delighted to inspire you with our passion for naturally beautiful flooring – enjoy choosing your new floor!

With kind regards



Peter Hamberger



Dr. Peter M. Hamberger




Table of Contents

08

Our Values

10

DISANO Concept

12 Product Highlights

14 Series Features

16 Moisture

18

HARO Room Visualizer

20

DISANO ClassicAqua



28

DISANO LifeAqua



36

DISANO SmartAqua



44

DISANO WaveAqua



68

Accessories

70 Skirtings/Mouldings

71 Care with
clean & green

72

Certification

52

DISANO Saphir



60

DISANO Project



Natural beauty is not a matter of chance

HARO stands for natural beauty. As Germany's leading parquet manufacturer, over the decades we have learned to understand what makes a truly beautiful floor. We draw inspiration from this knowledge every day and develop design floors that look almost like real wood.



*DISANO Saphir
Plank 1-Strip 4VM
Mountain Oak textured
(wood reproduction)*

Sustainable quality 'Made in Germany'

For us as a family business, responsibility means thinking ahead and doing things in a considered and sustainable way. This applies first and foremost to our employees, many of whom spend their entire working lives at HARO. And it goes without saying that the respect and appreciation of each employee is close to our heart.

Responsibility also means that we use all resources carefully. For instance, we only use wood from our own and certified forestry. This ensures that the amount of wood taken from the forests never exceeds the amount that can grow back again. And thanks to our biomass

power plants and our hydroelectric power plant that uses the power of the Sims river, we are self-sufficient in energy – in addition to our production, we can even supply 8000 households with electricity.

Integral parts of our company's philosophy are also our commitment to Rosenheim as our headquarters and the fact that our products are 'Made in Germany'. It is here that we cultivate and advance our unique expertise that has made us a leading and highly respected supplier on the world market. And this is the foundation on which we are building the future.

Values speak louder than words

Values are more than just words:
They shape our thoughts and actions – every single day.



Committed to sustainability

The more than 150-year history of our family business is characterised by sustainable thinking and action. We are aware of our responsibility and embrace it with enthusiasm and commitment – for society, for the environment, for people.



Natural and healthy living

Not only are HARO floors beautiful to look at and to touch, they are also free from any harmful substances. For this, HARO was awarded the 'Blue Angel' quality label. This means that you can rest assured that our floors contribute to a high standard of healthy living and a pleasant ambience in the home.



Guaranteed high quality

We know what it takes to produce naturally beautiful, high-quality floors. We put this knowledge into practice with great care – in every single floorboard, right down to the last detail. This is something we are proud of, and we prove it with our premium quality products.



Made with passion

HARO is passion for natural beauty. We love processing and refining natural materials. Every single day, we use all our expertise and experience to ensure that you can feel the perfection of nature in our floors.



Made in Germany

As Germany's leading parquet manufacturer, we combine traditional craftsmanship with new technology in Rosenheim. This makes it possible for us to produce floor coverings of the highest quality. For more comfort when it comes to installation and maintenance, and for long-lasting pleasure in living and working.


Contributes to a healthy living environment, 100% free from PVC and plasticisers

In recent years, a new type of flooring has become established: 'design floors'. This term usually refers to floors that are made of plastic. But our DISANO Design Floors are in a class of their own. Unlike most other plastic floors, they do not contain any substances that are hazardous to health, such as PVC, plasticisers and phthalates. Or to put it differently: they help create a healthy living environment. That is why DISANO is certified with the Eco Label and has also been awarded the Blue Angel, the certificate for products that are free from harmful substances. In addition, the label 'Made in Germany' guarantees that our top-quality floors are exclusively produced in Germany under the best conditions.



www.blauer-engel.de/uz176
www.blauer-engel.de/uz120





*Discover DISANO
online now!*

DISANO Simple and easy

The following graphics identify our DISANO products that are designated for private application areas. They provide a quick overview of how the floors differ from each other and make choosing the right floor child's play.



The stars stand for the general quality class of the floor within the DISANO range.

Price



The price scale shows the price category of the floor within the DISANO range.

Features



The scale of features indicates how strongly the features of the floor are pronounced.

The criteria are:

- Moisture protection
- Warmth underfoot
- Comfort underfoot
- Easy installation
- Durability
- Scratch resistance

Superior in every way

Unlike PVC floors that contain plasticisers, DISANO floors are not only better when it comes to creating a healthy living environment, but also in terms of technical advantages and usage properties.



Colour changes

The colours of vinyl floors can change significantly when exposed to sunlight. DISANO, on the other hand, keeps its colour throughout its entire lifetime.



Disposal

Due to the substances in vinyl floors, they must not be disposed of in household waste. Residues of DISANO, on the other hand, can simply be disposed of in the bin for private residual waste.



Embrittling

As the plasticisers contained in vinyl floors lose their effect over time, the floor's surface can become hard and brittle. DISANO by HARO remains permanently soft and elastic.



Cold flow

With vinyl floors, furniture and chair legs, for example, leave permanent dents in the surface (cold flow). With the pressure-resistant DISANO Floor, these dents never occur.



Dimensional stability

While vinyl floors react to heat by bending, DISANO by HARO remains amazingly even for years thanks to the rigid coreboard.

Soft, warm to the touch, easy to clean, durable and quiet

100% free
from PVC and
plasticisers

Its many positive properties make DISANO particularly pleasant in everyday use. Thanks to the high quality of the materials and the excellent workmanship, our floors stay as beautiful as on the very first day – even after years of use. This makes it possible to reduce the consumption of resources for new production and the disposal of obsolete building materials to a minimum. Sustainability at its best.



Warm to the touch for a comfortably warm and cosy ambience in the home.

Thanks to the use of carefully selected, healthy materials.



Very hard-wearing – it convinces with its exceptional durability

Even when exposed to intense wear and tear, for example in entry areas or when used in commercial applications.



Suitable for use in damp rooms – thanks to moisture protection or full waterproof properties

DISANO ClassicAqua, LifeAqua, SmartAqua and WaveAqua are suitable for damp rooms, and DISANO Saphir and Project are even waterproof



Soft step – the SilentSense surface is warm and comfortable underfoot.

DISANO is pleasantly durable, and the SilentSense surface protects the floor from dents and moisture.


Comfort throughout the home

DISANO Design Floors are ideal for all rooms. Whether it is surface aesthetics, installation height, maximum weight capacity or the application area – with five different series, DISANO meets all needs.

DISANO ClassicAqua – The Elegant One



Price



Features



XL long board format with bevelled edges on all four sides
Authentic stone styles in tile format with bevelled edges on all sides

The comfortable design floor for upscale living.


Also suitable for areas exposed to splashes and spills.

- Designed for maximum comfort
- Especially durable, quiet, and warm
- Premium DISANO board in extra-large format
- Easy to install thanks to the Top Connect installation system
- Wide variety of exclusive styles

DISANO LifeAqua – The Vibrant One



Price



Features



Plank 1-Strip XL 4V for a spacious room ambience

A straightforward design floor for young living in XL format. Also suitable for areas exposed to splashes and spills.

- With its XL board format, it is designed for a spacious room ambience.
- Durable and dimensionally stable
- Easy to install thanks to the Top Connect installation system
- Comfortable underfoot feeling thanks to the SilentSense surface

DISANO SmartAqua – The Flexible One



Price



Features



Authentic wood styles with Plank 1-Strip design with micro bevels on all four sides
Natural stone styles in tile format with bevelled edges on all sides

The smart design floor for young living. Also suitable for areas exposed to splashes and spills.

- The all-rounder floor for all living spaces; also ideal for renovations
- Quiet and warm to the touch
- Durable and dimensionally stable
- Highly suitable for use with underfloor heating and cooling
- Easy installation with the Top Connect installation system.
- Comfortable underfoot feeling thanks to the SilentSense surface

Formats



Plank 1-Strip XL 4V

Dimensions: 235 x 2035 mm
(9 1/4" x 80 1/8")

Installation height of 9.3 mm (3/8")

Piazza 4V

Dimensions: 313 x 631 mm
(12 5/16" x 24 27/32")

Installation height of 9.3 mm (3/8")



Plank 1-Strip XL 4V

Dimensions: 235 x 1800 mm
(9 1/4" x 70 7/8")

Installation height of 8.5 mm (11/32")



Plank 1-Strip 4VM

Dimensions: 235 x 1282 mm
(9 1/4" x 50 15/32")

Renovation-friendly
installation height of 6.5 mm (1/4")

Piazza 4V

Dimensions: 313 x 631 mm (12 5/16")
Renovation-friendly installation height of 6.5 mm (1/4")

DISANO WaveAqua – The Tough One



Price



Features



**Plank 1-Strip XL 4V for a spacious room
ambience**
Authentic wood styles with Plank 1-Strip
design with bevels on all four sides


The insensitive floor that is up
to any challenge.

- Authentic DISANO quality at
an attractive price
- Stunning modern wood styles
- Scratch-resistant, robust
floor with Surface Protect
technology
- XL long board format with
bevelled edges on four sides
- Easy to install thanks to the
Top Connect installation
system

DISANO Saphir – The Allrounder



Price



Features



**Plank 1-Strip XL 4VM for a spacious room
ambience**
Natural stone styles in tile format

The hard-wearing design floor
for all requirements. Waterproof.

- Extremely hard-wearing and
durable thanks to the
waterproof full-plastic
coreboard
- Pressure-resistant even with
heavy furniture
- Highly suitable for use with
underfloor heating and
cooling
- Easy to install thanks to the
Top Connect installation
system

DISANO Project – The Professional One



Price



Features



**Plank 1-Strip XL 4VM for a spacious room
ambience**
Natural stone styles in tile format

The design floor for professional
installation and renovation.

Waterproof.

- Especially suitable for
renovations thanks to its low
profile of just 2 mm (3/32")
- Highly suitable for use with
underfloor heating and
cooling
- High pressure stability due to
the special layer construction
- Glue-down installation by a
professional installer



Plank 1-Strip 4V

Dimensions: 193 x 1282 mm
(7 19/32" x 50 15/32")
Installation height of 8.0 mm (5/16")

Plank 1-Strip XL 4V

Dimensions: 243 x 2200 mm
(9 9/16" x 86 5/8")
Installation height of 8.0 mm (5/16")



Plank 1-Strip 4VM

Dimensions: 235 x 1282 mm (9 1/4" x 50 15/32")
Renovation-friendly installation height
of 4.5 mm (3/16")

Piazza 4V

Dimensions: 313 x 631 mm (12 5/16" x 24 27/32")
Renovation-friendly installation height
of 4.5 mm (3/16")



Plank 1-Strip 4VM

Dimensions: 248 x 1300 mm
(9 3/4" x 51 3/16")
Renovation-friendly
installation height of 2.0 mm (3/32")

Piazza 4VM

Dimensions: 310 x 650 mm (12 7/32" x 25 19/32")
Renovation-friendly
installation height of 2.0 mm (3/32")

A waterproof solution

HARO Design Floors are suitable for any room – The waterproof lines made of solid plastic can even be placed in water. The DISANO variants with moisture protection are also resistant to standing tap water for 24 hours – then the water must be removed.



Waterproof

DISANO Saphir **DISANO Project**

- Approved for installation in bathrooms, kitchens and other damp rooms
- Extremely hard-wearing thanks to the waterproof full-plastic construction (DISANO Saphir with rigid core board, DISANO Project with ElastoTec layer)



With moisture protection

DISANO ClassicAqua **DISANO SmartAqua** **DISANO LifeAqua** **DISANO WaveAqua**

- Reliable moisture protection thanks to AquaReject coreboard
- With glue-down installation, it is also suitable for bathrooms

Easy to clean and maintain

DISANO Design Floors are extremely easy to care for and remain timelessly beautiful. Dry cleaning with a vacuum cleaner or a broom is all that is necessary. Simply sweep or vacuum the floor and, if necessary, wipe the floor with a damp cloth using the environmentally friendly 'clean & green active' series for cleaning and care, which is specifically designed for design floors.

DISANO Project
Plank 1-Strip 4VM
Holm Oak textured
(wood reproduction)



*Do you need more
information? Click here for
online product advice!*


Bring your favourite floor into your home. Right now.

Almost as exciting as a test drive, but certainly less complicated. With the HARO Room Visualizer, you can install your favourite HARO DISANO Floor in your own four walls – easily, virtually, and without obligation.

Does your dream floor match your beloved couch or the colour of the newly painted kitchen backsplash? Which board format and colour will make your home office look particularly spacious? Virtually install your favourite DISANO Floor with the HARO Room Visualizer – with just one click. Simply visit haro.com/roomvisualizer and get started.

And this is how it works:

1. Visit haro.com/roomvisualizer
2. Take a photo of your room or upload an existing photo
3. Select your DISANO Design Floor
4. Admire how good your favourite parquet looks in your home



*Test our HARO Room
Visualizer now.*

DISANO ClassicAqua

Floating on a whole new level.

The large-format premium DISANO boards add a unique ambience to any room. Not only does ClassicAqua impress aesthetically with its varied, highly exclusive surfaces – its ElastoTec pressure distribution layer also ensures maximum durability and smoothness.

DISANO ClassicAqua – The Elegant One

- Premium DISANO board in extra-large format.
- The ElastoTec pressure distribution layer ensures maximum durability and smoothness
- Resistant to temperature variations and sunlight, dimensionally stable
- Especially quiet thanks to the SilentSense surface
- Resistant to moisture
- Installation height: 9.3 mm (3/8")
- Easy to install thanks to the Top Connect installation system
- Glue-down installation possible
- Wide variety of exclusive styles
- XL long board format with bevelled edges on all four sides



Price




Features





*DISANO ClassicAqua
Plank 1-Strip XL 4V
French Smoked Oak textured
(wood reproduction)*



*DISANO ClassicAqua
Plank 1-Strip XL 4V
Wild Oak textured
(wood reproduction)*

*DISANO ClassicAqua
Plank 1-Strip XL 4V
Oak Vintage Greige rustic textured
(wood reproduction)*

100% free
from PVC and
plasticisers



*DISANO ClassicAqua
Piazza 4V
Wallonian Slate
(stone reproduction)*





*DISANO ClassicAqua
Plank 1-Strip XL 4V
Pine Nordica textured
(wood reproduction)*

***This could be your ClassicAqua floor.
Test the look with our HARO Room
Visualizer!***





*DISANO ClassicAqua
Plank 1-Strip XL 4V
Walnut textured
(wood reproduction)*



*DISANO ClassicAqua
Plank 1-Strip XL 4V
Oak Glacier textured
(wood reproduction)*

DISANO ClassicAqua Technology and range



1

The SilentSense surface with its authentic wood or stone look is elastic, durable and comfortably warm, protects the floor, provides it with durability and is easy to clean. The decorative layer gives the product an authentic wood or stone look.

2

The waterproof ElastoTec layer is particularly resistant to shock and impact. Not only does it protect the floor from moisture, it also optimises the stability of the boards and ensures a pleasant, elastic walking feeling thanks to the composition of the materials.

3


The PVC-free, dimensionally stable AquaReject coreboard is a rigid coreboard based on natural materials. This makes even slight irregularities in the subfloor invisible. As it has the highest degree of resistance against swelling, it is also approved for use in rooms exposed to splashes and spills, (Wo-I in accordance with DIN 18534), such as domestic bathrooms. Due to its special impregnation, the coreboard can withstand standing tap water for up to 24 hours.

4

Thanks to the special composition of materials, the HydroResist barrier offers additional safety and reliability, and protects the aquaReject coreboard against moisture from below.

5




























High-density cork insulation layer that optimises walking comfort and reduces room and footfall sound. No additional insulation underlay required.



Smart advice.
**Click here for online
product advice!**



DISANO ClassicAqua

White	Nature – Light	Nature – Medium	Nature – Dark	Grey
 Plank 1-Strip XL 4V Crystal Oak ID no. 536 242	 Plank 1-Strip XL 4V Oak Provence Creme ID no. 538 970	 Plank 1-Strip XL 4V Oak Provence Nature ID no. 538 971	 Plank 1-Strip XL 4V Tobacco Oak ID no. 536 248	 Plank 1-Strip XL 4V Country Oak Grey ID no. 536 251
 Plank 1-Strip XL 4V Pine Nordica ID no. 536 066	 Plank 1-Strip XL 4V Sand Oak ID no. 535 703	 Plank 1-Strip XL 4V Field Oak ID no. 536 247	 Plank 1-Strip XL 4V Wild Oak ID no. 535 700	 Plank 1-Strip XL 4V Industrial Grey ID no. 540 363
 Piazza 4V Urban White ID no. 540 365	 Plank 1-Strip XL 4V Holm Oak Creme ID no. 535 699	 Plank 1-Strip XL 4V Mountain Oak ID no. 535 702	 Plank 1-Strip XL 4V French Smoked Oak ID no. 535 701	 Piazza 4V Marble Anthracite ID no. 540 367
 Plank 1-Strip XL 4V Oak White ID no. 536 238	 Plank 1-Strip XL 4V Oak Riva ID no. 536 067	 Plank 1-Strip XL 4V Country Oak Nature ID no. 536 250	 Plank 1-Strip XL 4V Walnut ID no. 536 240	 Plank 1-Strip XL 4V Oak Vintage Greige ID no. 536 249
 Plank 1-Strip XL 4V Oak Glacier ID no. 536 065	 Plank 1-Strip XL 4V Light Oak ID no. 536 244	 Plank 1-Strip XL 4V Oak Nature ID no. 536 239	 Plank 1-Strip XL 4V Oak Provence Smoked ID no. 538 972	 Piazza 4V Béton brut Greige ID no. 540 366
All styles shown are wood or stone reproductions			 Piazza 4V Rusted Metal ID no. 540 362	 Piazza 4V Wallonian Slate ID no. 540 364

Board dimensions	9.3 x 235 x 2035 mm / 3/8" x 9 1/4" x 80 1/8" (thickness x width x length), Piazza 9.3 x 313 x 631 mm / 3/8" x 12 5/16" x 24 27/32" (thickness x width x length)
Content/-pack	5 pieces = 2.39 m², Piazza 7 pieces = 1.39 m²
Weight	8.70 kg/m², Piazza 8.41 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	25 years in residential applications, 5 years in commercial applications
Connection/Installation	Top Connect, glueless installation – as easy as pushing a button. Quick and easy to install, no tools necessary. The floor can be glued down, even across rooms.
Suitable for kitchens and bathrooms	Suitable for installation in areas exposed to splashes and spills (Wo-I according to DIN 18534).In these areas, floors must, floors must be glued down (with HARO Flexible Glue ID no. 410 563).
Suitable for underfloor heating/cooling	Thermal resistance 0.063 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection class	Dfl-s1 (normally flammable)/with glue-down installation Cfl-s1

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

DISANO LifeAqua

For everything that life has to offer.

The high-quality DISANO LifeAqua is the perfect all-inclusive floor. With its XL boards, it conveys a particularly spacious ambience. The SilentSense surface provides a uniquely soft walking feel while the HydroResist barrier ensures extra-strong moisture protection from below.

DISANO LifeAqua – The Vibrant One

- Authentic wood styles with bevelled edges on 4 sides
- Very easy to clean and maintain
- Durable and dimensionally stable
- Temperature stability and resistance to fading when exposed to sunlight
- Resistant to moisture, also suitable for areas exposed to splashes and spills.
- Installation height: 8 mm (5/16")
- Easy to install thanks to the Top Connect installation system
- Glue-down installation possible
- Comfortable underfoot feeling thanks to the SilentSense surface.
- Additional moisture protection thanks to the HydroResist barrier
- Plank XL 4V for a spacious room ambience




Price



Features



DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Lavida textured
(wood reproduction)





DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Oxford textured
(wood reproduction)



DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Cambridge textured
(wood reproduction)

***This could be your LifeAqua floor.
Test the look with our HARO Room
Visualizer!***





*DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Yorkshire Puro textured
(wood reproduction)*



DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Cardiff Grey textured
(wood reproduction)



DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Phoenix textured
(wood reproduction)



DISANO LifeAqua
Plank 1-Strip XL 4V
Oak Natural White textured
(wood reproduction)



100% free
from PVC and
plasticisers

DISANO LifeAqua Technology and range



235 mm
(9 1/4")
1800 mm
(70 7/8")



1

The SilentSense surface with its authentic wood look is elastic, durable and comfortably warm. It protects the floor providing a surface that is easy to clean. The decorative layer gives the product an authentic wood look.

2

The PVC-free, dimensionally stable AquaReject coreboard is a rigid coreboard based on natural materials. This makes even slight irregularities in the subfloor invisible. As it has the highest degree of resistance against swelling, it is also approved for use in rooms exposed to splashes and spills, (Wo-I in accordance with DIN 18534), such as domestic bathrooms. Due to its special impregnation, the coreboard can withstand standing tap water for up to 24 hours.

3

Thanks to the special composition of materials, the HydroResist barrier offers additional safety and reliability, and protects the aquaReject coreboard against moisture from below.
















4

High-density cork insulation layer that optimises walking comfort and reduces room and footfall sound. No additional insulation underlay required.

Smart advice.
Click here for online
product advice!



DISANO LifeAqua

White	Nature – Light	Nature – Medium	Nature – Dark	Grey
 Plank 1-Strip XL 4V Oak Natural White ID no. 540 368	 Plank 1-Strip XL 4V Oak Lavida ID no. 540 373	 Plank 1-Strip XL 4V Oak Yorkshire Nature ID no. 540 381	 Plank 1-Strip XL 4V Oak Oxford ID no. 540 376	 Plank 1-Strip XL 4V Oak Columbia Grey ID no. 540 371
 Plank 1-Strip XL 4V Antique Oak Creme ID no. 540 370	 Plank 1-Strip XL 4V Oak Yorkshire Puro ID no. 540 382	 Plank 1-Strip XL 4V Oak Columbia Nature ID no. 540 375	 Plank 1-Strip XL 4V Oak Cambridge ID no. 540 378	 Plank 1-Strip XL 4V Oak Cardiff Grey ID no. 540 379
 Plank 1-Strip XL 4V Oak Cardiff White ID no. 540 380	 Plank 1-Strip XL 4V Oak Columbia Light ID no. 540 372	 Plank 1-Strip XL 4V Oak Phoenix ID no. 540 374	 Plank 1-Strip XL 4V Antique Oak Smoked ID no. 540 377	
	 Plank 1-Strip XL 4V Oak Jubilé ID no. 540 369	 Plank 1-Strip XL 4V Cottage Wood ID no. 540 383		

All styles shown are wood reproductions

Board dimensions	8 x 235 x 1800 mm / 5/16" x 9 1/4" x 70 7/8" (thickness x width x length)
Content/carton	8 pcs. = 3,38 m²
Weight	7.00 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	20 years in residential applications, 5 years in commercial applications
Connection/Installation system	Top Connect, glueless installation
Suitable for kitchens and bathrooms	Suitable for installation in areas exposed to splashes and spills (Wo-I according to DIN 18534).In these areas, floors must, floors must be glued down (with HARO Flexible Glue ID no. 410 563).
Suitable for underfloor heating/cooling	Thermal resistance 0.057 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection class	Cfl-s1 / with glue-down installation Bfl-s11

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

DISANO Smart Aqua

Perfect for renovations and installed with just one click.

Need a change in your own four walls? DISANO SmartAqua is especially easy to install thanks to the incredibly simple Top Connect installation system.


Its low construction height of only 6.5 mm (1/4") makes it perfectly suitable for renovations. The perfect all-rounder floor for all living spaces!

DISANO SmartAqua – The Flexible One

- The all-rounder floor for all living spaces, also for renovations
- Durable and dimensionally stable
- Temperature stability and resistance to fading when exposed to sunlight
- Resistant to moisture, also suitable for areas exposed to splashes and spills.
- Fits everywhere and is perfect for renovations thanks to its installation height of only 6.5 mm (1/4")
- Highly suitable for use with underfloor heating and cooling
- Glue-down installation possible
- Easy installation with the Top Connect installation system
- Authentic wood styles with Plank 1-Strip design and micro bevels on all four sides
- Stone styles in tile format with bevelled edges on all sides



Price



Features



DISANO SmartAqua
Plank 1-Strip 4VM
Oak Yorkshire Nature textured
(wood reproduction)





*DISANO SmartAqua
Plank 1-Strip 4VM
Oak Cardiff White textured
(wood reproduction)*




*DISANO SmartAqua
Plank 1-Strip 4VM
Antique Oak Creme rustic textured
(wood reproduction)*

DISANO SmartAqua
Plank 1-Strip 4VM
Antique Oak Smoked rustic textured
(wood reproduction)

100% free
from PVC and
plasticisers





DISANO SmartAqua
Piazza 4V
Artdesign Crema
(stone reproduction)



*DISANO SmartAqua
Plank 1-Strip 4VM
Oak Columbia Grey textured
(wood reproduction)*




***This could be your SmartAqua floor.
Test the look with our HARO Room
Visualizer!***



*DISANO SmartAqua
Piazza 4V
Concrete Grey
(stone reproduction)*

DISANO SmartAqua Technology and range



1

The SilentSense surface with its authentic wood or stone look is elastic, durable, comfortably warm, protects the floor, provides it with durability and is easy to clean. The decorative layer gives the product an authentic wood or stone look.

2

The PVC-free, dimensionally stable AquaReject coreboard is a rigid coreboard based on natural materials. This makes even slight irregularities in the subfloor invisible. As it has the highest degree of resistance against swelling, it is also approved for use in rooms exposed to splashes and spills, (Wo-I in accordance with DIN 18534), such as domestic bathrooms. Due to its special impregnation, the coreboard can withstand standing tap water for up to 24 hours.

3

Thanks to the special composition of materials, the HydroResist barrier offers additional safety and reliability, and protects the aquaReject coreboard against moisture from below.























4

The high-density cork insulation layer that absorbs room and impact sound ensures optimised walking comfort. No additional insulation underlay required.

Smart advice.
**Click here for online
product advice!**



DISANO SmartAqua

White	Nature – Light	Nature – Medium	Nature – Dark	Grey
 <p>Plank 1-Strip 4VM Oak Natural White ID no. 537 123</p>	 <p>Plank 1-Strip 4VM Oak Lavidà ID no. 537 119</p>	 <p>Plank 1-Strip 4VM Oak Yorkshire Nature ID no. 540 387</p>	 <p>Plank 1-Strip 4VM Oak Oxford ID no. 537 170</p>	 <p>Plank 1-Strip 4VM Oak Columbia Grey ID no. 537 117</p>
 <p>Plank 1-Strip 4VM Antique Oak Creme ID no. 537 114</p>	 <p>Plank 1-Strip 4VM Oak Yorkshire Puro ID no. 540 388</p>	 <p>Plank 1-Strip 4VM Oak Columbia Nature ID no. 537 120</p>	 <p>Plank 1-Strip 4VM Oak Cambridge ID no. 540 384</p>	 <p>Plank 1-Strip 4VM Oak Cardiff Grey ID no. 540 385</p>
 <p>Plank 1-Strip 4VM Oak Cardiff White ID no. 540 386</p>	 <p>Plank 1-Strip 4VM Oak Columbia Light ID no. 537 118</p>	 <p>Plank 1-Strip 4VM Oak Phoenix ID no. 537 169</p>	 <p>Plank 1-Strip 4VM Antique Oak Smoked ID no. 537 121</p>	 <p>Piazza 4V Concrete Bright ID no. 538 976</p>
 <p>Piazza 4V Marble White ID no. 538 973</p>	 <p>Plank 1-Strip 4VM Oak Jubilé ID no. 537 115</p>	 <p>Plank 1-Strip 4VM Cottage Wood ID no. 540 389</p>		 <p>Piazza 4V Concrete Grey ID no. 538 977</p>
 <p>Piazza 4V Artdesign Crema ID no. 538 974</p>	 <p>Piazza 4V Sandstone ID no. 538 975</p>			 <p>Piazza 4V Slate Anthracite ID no. 538 978</p>

All styles shown are wood
or stone reproductions

Board dimensions	6,5 x 235 x 1282 mm / 1/4" x 9 1/4" x 50 15/32" (thickness x width x length), Piazza 6,5 x 313 x 631 mm / 1/4" x 12 5/16" x 24 27/32" (thickness x width x length)
Content/pack	10 pieces = 3.01 m², Piazza 10 pieces = 1.98 m²
Weight	5.61 kg/m², Piazza 5.61 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	20 years in residential applications, 5 years in commercial applications
Connection/Installation	Top Connect, glueless installation – as easy as pushing a button. Quick and easy to install, no tools necessary. The floor can be glued down, even across rooms.
Suitable for kitchens and bathrooms	Suitable for installation in areas exposed to splashes and spills (Wo-I according to DIN 18534).In these areas, floors must, floors must be glued down (with HARO Flexible Glue ID no. 410 563).
Suitable for underfloor heating/cooling	Thermal resistance 0.046 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection classification	Dfl-s1 (normally inflammable)/glued Bfl-s1

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

DISANO WaveAqua

Beautiful and durable at an attractive price.

The WaveAqua floor with special Surface Protect surface is extremely scratch-resistant and easily copes with all the big and small challenges of everyday life. In addition, it is insensitive to splashes and puddles thanks to moisture protection. This is authentic DISANO quality at an attractive price!

DISANO WaveAqua – The Tough One

- True DISANO quality at an attractive price
- Scratch-resistant, robust floor with Surface Protect surface
- Moisture-resistant thanks to AquaReject coreboard
- Plank XL 4V for a spacious room ambience
- Authentic wood styles with Plank 1-Strip design and bevels on all four sides



Price



Features



DISANO WaveAqua
Plank 1-Strip XL 4V
Oak Ontario White authentic
(wood reproduction)







*DISANO WaveAqua
Plank 1-Strip 4V
Oak Victoria Honey authentic
(wood reproduction)*

*DISANO WaveAqua
Plank 1-Strip XL 4V
Oak Victoria Smoked authentic
(wood reproduction)*




100% free
from PVC and
plasticisers

*DISANO WaveAqua
Plank 1-Strip 4V
Oak Ontario White authentic
(wood reproduction)*



*DISANO WaveAqua
Plank 1-Strip 4V
Oak Ontario Grey authentic
(wood reproduction)*





*DISANO WaveAqua
Plank 1-Strip XL 4V
Oak Victoria Velvet Brown authentic
(wood reproduction)*




*DISANO WaveAqua
Plank 1-Strip 4V
Oak Ontario Puro authentic
(wood reproduction)*



***This could be your WaveAqua floor.
Test the look with our HARO Room
Visualizer!***

DISANO WaveAqua Technology and range



1

Surface Protect is a polymer layer with a warm, durable and natural feel. It is particularly robust and hard-wearing, and has an authentic wood look.

2

The authentic decorative layer gives the floor a realistic wood look and a harmonious structure.

3

The PVC-free, dimensionally stable AquaReject coreboard is a rigid coreboard based on natural materials. This makes even slight irregularities in the subfloor invisible. As it has the highest degree of resistance against swelling, it is also approved for use in rooms exposed to splashes and spills, (Wo-I in accordance with DIN 18534), such as domestic bathrooms. Due to its special impregnation, the coreboard can withstand standing tap water for up to 24 hours.

4


The PowerWave layer ensures the exceptional stability of the floor and provides additional protection against moisture.

Smart advice.
Click here for online
product advice!




DISANO WaveAqua

White




Plank 1-Strip
Oak Ontario White
ID no. 4V 541 242
ID no. XL 4V 541 250

Nature – Light




Plank 1-Strip
Oak Ontario Puro
ID no. 4V 541 243
ID no. XL 4V 541 251




Plank 1-Strip
Oak Victoria Puro
ID no. 4V 541 238
ID no. XL 4V 541 246

Nature – Medium




Plank 1-Strip
Oak Ontario Nature
ID no. 4V 541 244
ID no. XL 541 252




Plank 1-Strip
Oak Victoria Honey
ID no. 4V 541 239
ID no. XL 4V 541 247

Nature – Dark




Plank 1-Strip
Oak Victoria Velvet Brown
Id no. 4V 541 240
ID no. XL 4V 541 248



Plank 1-Strip
Oak Victoria Smoked
ID no. 4V 541 241
ID no. XL 4V 541 249

Grey



Plank 1-Strip
Oak Ontario Grey
ID no. 4V 541 245
ID no. XL 4V 541 253

All styles shown are wood reproductions

Board dimensions	8 x 193 x 1282 mm (5/16" x 7 19/32" x 50 15/32") / 8 x 243 x 2200 mm (5/16" x 9 9/16" x 50 15/32")
Content/carton	8 pcs. = 1.98 m² / 5 pcs. = 2.68 m²
Weight	7.36 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	20 years in residential applications, 5 years in commercial applications
Connection/Installation system	Top Connect, glueless installation
Suitable for kitchens and bathrooms	Suitable for installation in areas exposed to splashes and spills (Wo-I according to DIN 18534).In these areas, floors must, floors must be glued down (with HARO Flexible Glue ID no. 410 563).
Suitable for underfloor heating/cooling	Thermal resistance 0.065 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection class	Cfl-s1 / with glue-down installation Bfl-s1

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

DISANO Saphir

**For the highest standards,
even in the commercial sector.**

Whether for commercial or private use: DISANO Saphir is the extremely hard-wearing design floor for all requirements. It is 100% waterproof and has a construction height of just 4.5 mm. This makes it the perfect choice for all places and situations where the beauty and elegance of the floor has to withstand exceptional strain.

DISANO Saphir – The Allrounder


- Extremely hard-wearing and durable thanks to the waterproof full-plastic coreboard
- Waterproof, suitable for installation in the bathroom
- Authentic wood styles with micro bevel on 4 sides
- Resistant to fading under UV light and dimensionally stable
- Pressure-resistant even with heavy furniture
- Very suitable for use with underfloor heating/cooling
- Especially suitable for renovations and remodelling thanks to its low profile height of 4.5 mm (3/16")
- Easy to install thanks to the Top Connect installation system
- Glue-down installation possible
- Natural stone styles in tile format



Price



Features



*DISANO Saphir
Plank 1-Strip 4VM
Oak Provence Creme authentic
(wood reproduction)*



DISANO Saphir
Plank 1-Strip 4VM
Crystal Oak textured
(wood reproduction)



*DISANO Saphir
Plank 1-Strip 4VM
Oak Provence Nature authentic
(wood reproduction)*

100% free
from PVC and
plasticisers




*DISANO Saphir
Piazza 4V
Industrial Grey
(stone reproduction)*



DISANO Saphir
Plank 1-Strip 4VM
Holm Oak Creme textured
(wood reproduction)





*DISANO Saphir
Plank 1-Strip 4VM
Country Oak Grey rustic textured
(wood reproduction)*




*DISANO Saphir
Plank 1-Strip 4VM
Tobacco Oak textured
(wood reproduction)*



***This could be your Saphir floor.
Test the look with our HARO Room
Visualizer!***

DISANO Saphir

Technology and range




1

The SilentSense surface with its authentic wood or stone look is elastic, durable and comfortably warm, protects the floor, provides it with durability and is easy to clean. The decorative layer gives the product an authentic wood or stone look.

2

The dimensionally stable full-plastic coreboard is a rigid coreboard that is free from PVC and plasticisers. This makes even slight irregularities in the subfloor invisible. This means that DISANO Saphir is extremely hard-wearing and completely water-resistant – even with standing water. In addition, the special material composition of the coreboard ensures high elasticity and thus a pleasantly soft feeling.



Smart advice.
Click here for online
product advice!



DISANO Saphir

White	Nature – Light	Nature – Medium	Nature – Dark	Grey
 Plank 1-Strip 4VM Crystal Oak ID no. 537 240	 Plank 1-Strip 4VM Oak Provence Creme ID no. 540 069	 Plank 1-Strip 4VM Oak Provence Nature ID no. 540 070	 Plank 1-Strip 4VM Tobacco Oak ID no. 537 243	 Plank 1-Strip 4VM Country Oak Grey ID no. 537 241
 Plank 1-Strip 4VM Pine Nordica ID no. 540 067	 Plank 1-Strip 4VM Sand Oak ID no. 537 237	 Plank 1-Strip 4VM Field Oak ID no. 537 242	 Plank 1-Strip 4VM Wild Oak ID no. 537 238	 Piazza 4V Industrial Grey ID no. 540 359
 Piazza 4V Urban White ID no. 540 360	 Plank 1-Strip 4VM Holm Oak Creme ID no. 537 236	 Plank 1-Strip 4VM Mountain Oak ID no. 540 068	 Plank 1-Strip 4VM French Smoked Oak ID no. 537 239	 Piazza 4V Marble Anthracite ID no. 540 361

All styles shown are wood
or stone reproductions

Board dimensions	4.5 x 235 x 1282 mm / 3/16" x 9 1/4" x 50 15/32" (thickness x width x length), Piazza 4.5 x 313 x 631 mm / 3/16" x 12 5/16" x 24 29/32" (thickness x width x length)
Content/pack	10 pieces = 3.01 m², Piazza 14 pieces = 2.77 m²
Weight	Plank 1-Strip 4VM 5.28 kg/m², Piazza 5.28 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	25 years in residential applications, 5 years in commercial applications
Connection/Installation system	Top Connect. Glueless installation with Silent Grip insulation underlay ID no. 409 272.
Suitable for damp rooms	Suitable for installation in damp rooms (Wo-I according to DIN 18534). For use in damp areas, the floors must be glued down.
Suitable for underfloor heating/cooling	Thermal resistance 0.0317 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection class	Dfl-s2 (normally flammable)/with glue-down installation Cfl-s2

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

Silent Grip insulation underlay
High-quality sound insulation underlay, with natural mineral fillers and with an anti-slip grip surface. Specially designed for the floating installation of DISANO Saphir.
Also suitable for installation over underfloor heating or cooling

DISANO Project

Setting the standard in all areas.

With its special structure, the waterproof DISANO Project guarantees a high degree of durability. Its construction height of 2 mm makes it the perfect floor for renovations, while the fire protection class Bfl-s1 provides additional safety.

DISANO Project – The Professional One

- Authentic wood and stone reproductions with micro bevels on 4 sides
- Waterproof
- Especially suitable for renovations and remodelling thanks to its low profile of just 2 mm (3/32")
- Highly suitable for use with underfloor heating
- High stability through the special layer construction
- Glue-down installation by a professional installer
- Fire protection classification Bfl-S1 (hardly inflammable)



Price




Features



DISANO Project
Piazza 4VM
Concrete Bright
(stone reproduction)





DISANO Project
Plank 1-Strip 4VM
Sand Oak textured
(wood reproduction)

100% free
from PVC and
plasticisers





*DISANO Project
Piazza 4VM
Urban White
(stone reproduction)*



*DISANO Project
Plank 1-Strip 4VM
Field Oak textured
(wood reproduction)*

*DISANO Project
Piazza 4VM
Slate Anthracite
(stone reproduction)*



*DISANO Project
Piazza 4VM
Marble White
(stone reproduction)*

***This could be your Project floor.
Test the look with our HARO Room
Visualizer!***






DISANO Project
Piazza 4VM
Marble Anthracite
(stone reproduction)



DISANO Project Technology and range




1

The SilentSense surface with its authentic wood or stone look is elastic, durable and comfortably warm, protects the floor, provides it with durability and is easy to clean. The decorative layer gives the product an authentic wood or stone look.

2



















The waterproof ElastoTec layer is particularly impact and shock resistant. Not only does it protect the floor from moisture, it also optimises the stability of the boards and ensures a pleasant, elastic walking feeling thanks to the composition of the materials.



Smart advice.
**Click here for online
product advice!**



DISANO Project

White	Nature – Light	Nature – Medium	Nature – Dark	Grey
 Plank 1-Strip 4VM Crystal Oak ID no. 537 296	 Plank 1-Strip 4VM Oak Provence Creme ID no. 540 073	 Plank 1-Strip 4VM Oak Provence Nature ID no. 540 074	 Plank 1-Strip 4VM Tobacco Oak ID no. 537 302	 Plank 1-Strip 4VM Country Oak Grey ID no. 537 297
 Plank 1-Strip 4VM Pine Nordica ID no. 540 071	 Plank 1-Strip 4VM Sand Oak ID no. 537 299	 Plank 1-Strip 4VM Field Oak ID no. 537 300	 Plank 1-Strip 4VM Wild Oak ID no. 537 301	 Piazza 4VM Concrete Light ID no. 539 137
 Piazza 4VM Marble White ID no. 539 135	 Plank 1-Strip 4VM Holm Oak Creme ID no. 537 298	 Plank 1-Strip 4VM Mountain Oak ID no. 540 072	 Plank 1-Strip 4VM French Smoked Oak ID no. 537 303	 Piazza 4VM Industrial Grey ID no. 540 355
 Piazza 4VM Urban White ID no. 540 356				 Piazza 4VM Marble Anthrazit ID no. 540 358
				 Piazza 4VM Slate Anthrazit ID no. 539 136

All styles shown are wood
or stone reproductions

Board dimensions	2 x 248 x 1300 mm / 3/32" x 9 3/4" x 51 3/16" (thickness x width x length), Piazza 2 x 310 x 650 mm / 3/32" x 12 7/32" x 25 19/32" (thickness x width x length)
Content/pack	11 elements = 3.54 m², Piazza 11 pieces = 2.22 m²
Weight	3.33 kg/m², Piazza 3.33 kg/m²
Level of use (according to EN 685)	23/33, for high-traffic residential and commercial applications
Warranty (according to warranty terms)	25 years in residential applications, 5 years in commercial applications
Installation method	Glue-down installation with HARO Dispersion Adhesive ID no. 410 566
Suitable for underfloor heating/cooling	Thermal resistance 0.01 m² K/W
Cleaning/Maintenance	Dirt-repellent surface, simply mop the floor with a slightly damp cloth, brush off or vacuum. Please follow the care instructions.
Fire protection classification	Bfl-S1 (hardly inflammable)

In the case of glue-down installation, please note the prescribed moisture values of the subfloor.

HARO Accessories

Always a perfect match.

HARO naturally offers the matching accessories for your design floor. Manufactured in the same quality and perfectly matching the look and characteristics of our floors – for a better feeling when you restyle your home. From skirtings to insulation underlays: we offer a wide range of accessories for every requirement from a single source.



Compatible
with
all products

DISANO Saphir
Plank 1-Strip 4VM
Crystal Oak textured
(wood reproduction)



*Find the right accessories
for your floor online!*



Guaranteed to fit: HARO Accessories

When you select HARO, you get more than just a floor. For HARO offers perfectly harmonised accessories, cleaning and care products, and replacement parts – not just for today and tomorrow, but for the entire lifetime of your floor. After all, as a fifth-generation family business, we are well aware of the importance of continuity and reliability – for the availability of our products as well as the relationship with our valued dealers and installation partners.



Skirtings

Matching or with a contrast? Skirtings enable transitions between the floor and the wall that are visually and functionally attuned to your desired floor. Naturally, they are also available in water-resistant versions.



Insulation underlays

Whether with or without underfloor heating: different insulation underlays guarantee the perfect underlay for every room and every floor.



blauer-engel.de/12156



Transition moulding

With the matching transition mouldings, you can harmoniously combine different flooring variants or even different floor coverings. Thanks to their design, the transition mouldings can also balance out different height levels.



You can get the right care product for your floor from your dealer or online.

clean & green, perfect care for design floors

We always offer the perfect cleaning product so that you can keep your floor clean easily and gently. You will be amazed at how little of the care product you need.



clean & green active

For the basic cleaning of worn surfaces in intensively used living areas. For cleaning the floor before treatment with aqua shield.



clean & green natural

For easy, effective cleaning and care of living areas with a normal amount of wear and tear.



clean & green aqua shield

For the lasting refurbishment and care of your DISANO

DISANO will convince you. Guaranteed.

Every single day, our employees put their expertise, experience and passion into their work.

We are therefore convinced that only products of superior quality leave our company premises. We underline our conviction with our warranties of 20 and 25 years, which is up to twice as long as those of other manufacturers.

The fact that the quality behind the scenes is as excellent as the products themselves is proven by the numerous certificates awarded by internationally recognised institutions. And as a member of important industry organisations and associations, we are also committed to quality, transparency and sustainability that reach beyond our company.

HARO warranty (up to 25 years)



In addition to the statutory warranty terms, HARO also provides additional warranties for various product groups. Please note the respective warranty conditions.

Made in Germany



Our quality floors are of the highest-quality German workmanship.

ISO Certificates



HARO's energy management is certified according to ISO 50001: 2013.



DIN EN ISO 14001: 2004 stands for active environmental management. We have been a holder of the Bavarian Quality Award since 1998, and of the PEFC seal since 2002.



Since 1995, we have been certified according to DIN EN ISO 9001:2008. This ensures consistent product quality.

CE Certificate



The CE label stands for compliance with all European safety and health directives.

Certificates




blauer-engel.de/uz176
blauer-engel.de/uz120

The Blue Angel certifies the environmental compatibility of our products.
blauer-engel.de/uz176 // blauer-engel.de/uz120



With its certification, the UL ECO INSTITUT proves that DISANO by HARO meets the strictest regulations concerning the emission of harmful substances.



The French VOC label certifies that the emissions of DISANO Design Floors by HARO are completely non-hazardous.

Memberships



Hamberger Flooring GmbH & Co. KG is a founder member of the Multilayer Modular Flooring Association.

An excellent choice.

Whichever floor you choose: your HARO Floor will be a delight. Together with your specialist dealer, you have selected this floor/these floors:

The product numbers of your favourites

Your notes



You haven't been to a dealer yet? Find one near you now.

If you have any questions or would like to make an appointment, your dealer will be happy to help you.

HARO

Hamberger Flooring GmbH&Co.KG
Postfach 10 03 53 | 83003 Rosenheim | Germany
T + 49 8031 700-0 | F + 49 8031 700-600
info@haro.de | haro.com



Committed to
sustainability



Naturally
healthy living



Guaranteed
high quality



Made with
passion



Made in
Germany